



Mikrobohrer Microdrill NX

5xd






Rm < 850	Rm 850-1100	Rm 1100-1300					Inox Stainless		GG(G) Aluminium
-------------	----------------	-----------------	--	--	--	--	-------------------	--	--------------------

Beispiel: Bestell-Nr. B57015 .0080								DURO-SD B57015
Ø Code	d1 m7	d2 h5	l1	l2	L _{max}			
new! .0080	0.80	3	46	5.2	4.0		●	
new! .0085	0.85	3	46	5.5	4.2		●	
new! .0090	0.90	3	46	5.9	4.6		●	
new! .0095	0.95	3	46	6.2	4.8		●	
new! .0100	1.00	3	48	6.5	5.0		●	
new! .0105	1.05	3	48	6.8	5.2		●	
new! .0110	1.10	3	48	7.2	5.6		●	
new! .0115	1.15	3	48	7.5	5.8		●	
new! .0120	1.20	3	48	7.8	6.0		●	
new! .0125	1.25	3	48	8.1	6.2		●	
new! .0130	1.30	3	48	8.5	6.6		●	
new! .0135	1.35	3	48	8.8	6.8		●	
new! .0140	1.40	3	50	9.1	7.0		●	
new! .0145	1.45	3	50	9.4	7.2		●	
new! .0150	1.50	3	50	9.8	7.6		●	
new! .0155	1.55	3	50	10.1	7.8		●	
new! .0160	1.60	3	50	10.4	8.0		●	
new! .0165	1.65	3	50	10.7	8.2		●	
new! .0170	1.70	3	52	11.1	8.6		●	
new! .0175	1.75	3	52	11.4	8.8		●	
new! .0180	1.80	3	52	11.7	9.0		●	
new! .0185	1.85	3	52	12.0	9.2		●	

Mikrobohrer Microdrill NX

5xd



Rm < 850	Rm 850-1100	Rm 1100-1300					Inox Stainless		GG(G) Aluminium
-------------	----------------	-----------------	--	--	--	--	-------------------	--	--------------------

Beispiel: Bestell-Nr. B57015 .0190							DURO-SD
							B57015
Ø Code	d1 m7	d2 h5	l1	l2	L _{max}		
new! .0190	1.90	3	52	12.4	9.6		●
new! .0195	1.95	3	52	12.7	9.8		●
.0200	2.00	3	56	13.0	10.0		●
.0205	2.05	3	56	13.3	10.2		●
.0210	2.10	3	56	13.7	10.6		●
.0215	2.15	3	56	14.0	10.8		●
.0220	2.20	3	56	14.3	11.0		●
.0225	2.25	3	56	14.6	11.2		●
.0230	2.30	3	56	15.0	11.6		●
.0235	2.35	3	56	15.3	11.8		●
.0240	2.40	3	56	15.6	12.0		●
.0245	2.45	3	56	15.9	12.2		●
.0250	2.50	3	56	16.3	12.6		●
.0255	2.55	3	60	16.6	12.8		●
.0260	2.60	3	60	16.9	13.0		●
.0265	2.65	3	60	17.2	13.2		●
.0270	2.70	3	60	17.6	13.6		●
.0275	2.75	3	60	17.9	13.8		●
.0280	2.80	3	60	18.2	14.0		●
.0285	2.85	3	60	18.5	14.2		●
.0290	2.90	3	60	18.9	14.6		●
.0295	2.95	3	60	19.2	14.8		●

